

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
Specific Name	Common Name							
Acacia melanoxylon	Blackwood *	3	E	F	P	F	ST	H
Acmena hemilampra	Broad-leaf Lilly Pilly	4		M	M	F	T	P
Acmena ingens	Red Apple	3		M	M	F	T	N
Acmena smithii	Lilly Pilly **	1		M	S	F	ST	H
Acronychia oblongifolia	Common Acronychia **	2		F	S	F	T	H
Actephila linlayi	Actephila			S	U/S	P	S	N
Akania lucens	Turnipwood			S	M	S	ST	N
Alangium villosum	Black Musketheart			S	M	P	T	U
Alchornea ilicifolia	Native Holly			S	S	F	ST	P
Alectryon tomentosus	Hairy Alectryon *			M	S	F	ST	H
Alocasia brisbanensis	Cunjevoi Lily	1,2	P2	F	U/S	P	H	N
Alphitonia excelsa	Red Ash *	3		F	S	F	T	H
Alphitonia petriei	Pink Ash			F	S	F	ST	H
Alpinia caerulea	Native Ginger		P2	M	U/S	P	H	N
Anthrocarpa sp.	Incense Cedar		E	M	S	P	S	P
Aphananthe philippinensis	Rough-leaved Elm	2		M	S	F	T	H
Araucaria cunninghamii	Hoop Pine		WD	M	M	F	T	H
Archidendron hendersonii	White Lace Flower			M	M	F	ST	N
Archidendron muellerianum	Veiny Lace Flower			M	S	F	ST	N
Archirhodomyrtus beckleri	Rose Myrtle			M	S	F	S	P
Archontophoenix cunninghamiana	Bangalow Palm *	2	DS	F	S	S	T	P
Argyrodendron trifoliolatum	White Booyong	3		M	M	F	T	P
Arytera distylis	Twin-leaved Coogera	2		S	M	P	ST	H
Arytera divaricata	Coogera			S	M	F	ST	P
Austromyrtus acmenioides	Scrub Ironwood	3	WD	S	M	P	T	U
Austromyrtus bidwillii	Python Tree	3	WD	S	M	P	T	P
Austromyrtus fragrantissima	Small-leaved Myrtle	3		S	M	P	ST	P
Austromyrtus hillii	Scaly Myrtle	2,3		S	M	F	ST	P
Austromyrtus lasioclada	Velvet Myrtle	3		M	M	F	T	N

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
<i>Backhousia myrtifolia</i>	Grey Myrtle	2,3		M	S	F	ST	P
<i>Baloghia inophylla</i>	Brush Bloodwood			S	M	P	T	U
<i>Brachychiton acerifolius</i>	Flame Tree	3		F	M	F	T	P
<i>Bridelia exaltata</i>	Scrub Ironbark *	3	E	F	S	F	T	H
<i>Callerya megasperma</i>	Native Wisteria		P2	F		P	V	H
<i>Callicoma serratifolia</i>	Callicoma	2		F	S	F	T	P
<i>Callistemon salignus</i>	White Bottlebrush * (limited number)	2,3	E	F	P	F	T	H
<i>Cassine australis</i>	Red Olive Plum	3,4		S	M	P	ST	P
<i>Castanospermum australe</i>	Black Bean *	2,3	DS	M	M	F	T	H
<i>Castanopora alphanthii</i>	Brown Tamarind *	2,3,4		M	M	F	T	N
<i>Cinnamomum oliveri</i>	Oliver's Sassafras	3,4		S	M	P	T	N
<i>Cinnamomum virens</i>	Red-barked Sassafras	4		S	M	P	T	P
<i>Claoxylon australe</i>	Brittlewood			M	S	P	ST	P
<i>Cleistanthus cunninghamii</i>	Cleistanthus		WD		U/S	P	ST	N
<i>Clerodendron floribundum</i>	Smooth Clerodendron		P2	M	S	P	ST	P
<i>Commersonia bartramia</i>	Brown Kurrajong **	2		F	P	F	T	H
<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily			S	U/S	P	ST	N
<i>Cordyline rubra</i>	Red-Fruited Palm Lily			S	U/S	P	ST	N
<i>Crinum pedunculatum</i>	Crinum Lily	1		M	U/S	P	G	P
<i>Cryptocarya glaucesens</i>	Jackwood *			M	M	F	T	P
<i>Cryptocarya laevigata</i>	Glossy Laurel			S	U/S	P	ST	P
<i>Cryptocarya obovata</i>	Pepperberry **			S	M	F	T	H
<i>Cryptocarya triplenervis</i> ssp. <i>pubens</i>	Three-veined <i>Cryptocarya</i> *		WD	M	M	F	T	N
<i>Cupaniopsis anacardioides</i>	Tuckeroo			M	S	F	ST	H
<i>Cupaniopsis flagelliformis</i>	Brown Tuckeroo			M	S	F	ST	U
<i>Cupaniopsis newmanii</i>	Long-leaved Tuckeroo			F	U/S	S	ST	P
<i>Cupaniopsis parviflora</i>	Small-leaved Tuckeroo *			M	S	F	T	H
<i>Cyathea</i> spp.	Tree Ferns *		P2	M	S	S	ST	P

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
Daphnandra micrantha	Socketwood			M	M	P	T	U
Decaspermum parviflorum	Silky Myrtle			M	M	F	ST	P
Dendrocnide excelsa	Giant Stinging Tree			F	S	F	T	U
Dendrocnide photinophylla	Shiny-leaved Stinging Tree			F	S	F	T	U
Desmodium acanthocladum	Thorny Pea	2		F	U/S	F	ST	H
Dianella caerulea	Flax Lily * *	2		F	U/S	P	G	H
Diospyros pentamera	Myrtle Ebony			S	M	P	T	U
Diploglottis australis	Native Tamarind	3		M	S	F	T	P
Diploglottis campbellii	Small-leaved Tamarind			M	S	F	ST	P
Doryphora sassafras	Sassafras			M	M	P	T	P
Duboisia myoporoides	Corkwood			F	P	F	ST	P
Dysoxylum fraserianum	Rosewood			S	M	F	T	P
Dysoxylum mollissimum	Red Bean			M	M	F	T	N
Dysoxylum rufum	Hairy Rosewood			S	M	F	T	P
Ehretia acuminata	Koda *	3		F	M	F	T	H
Elaeocarpus grandis	Blue Quandong *			F	S	F	T	N
Elaeocarpus kirtonii	Silver Quandong *	2,3		M	M	F	T	P
Elaeocarpus obovatus	Hard Quandong **	2,3		F	M	F	T	H
Elattostachys nervosa	Beetroot			M	M	F	T	P
Endiandra muelleri	Green-leaf Rose Walnut			S	M	P	T	N
Endiandra pubens	Hairy Walnut			S	M	P	T	N
Ervatamia augustiepala	Banana Bush		P2	S	U/S	P	S	P
Euodia micrococca	White Euodia			M	S	F	ST	N
Eupomatia bennettii	Small Bolwarra	3	P2	S	U/S	S	G	U
Eupomatia laurina	Bolwarra *		P2	M	U/S	P	ST	P
Ficus coronata	Creek Sandpaper Fig **	2	DS	F	S	F	T	H
Ficus fraseri	Sandpaper Fig **			F	S	F	T	H
Ficus macrophylla	Moreton Bay Fig			F	M	F	T	P

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
Ficus superba	Deciduous Fig			F	M	F	T	H
Ficus virens	White Fig	2,3		F	M	F	T	H
Ficus watkinsiana	Strangler Fig *			F	M	F	T	H
Flindersia australis	Australian Teak			M	M	F	T	H
Flindersia bennettiana	Bennett's Ash			M	S	F	T	P
Flindersia schottiana -	Cudgerie			F	S	F	T	P
Flindersia xanthoxyla	Yellowood	3		M	S	F	T	H
Floydia praealta	Ball Nut	3		S	M	P	T	P
Geissois benthamii	Red Carabeen			M	M	F	T	P
Glochidion ferdinandi	Cheese Tree **	2		F	S	F	ST	H
Glochidion sumatranum	Umbrella Cheese Tree			F	S	F	ST	P
Gmelina liechhardtii	White Beech	3		M	M	F	T	H
Guioa semiglauca	Guioa	2		F	S	F	T	H
Grevillea robusta	Silky Oak		WD	F	S	F	T	H
Harpullia alata	Wing-leaved Tulip			S	U/S	S	S	P
Harpullia hillii	Blunt-leaved Tulip			M	S	F	T	P
Harpullia pendula	Tulipwood			M	S	F	ST	P
Helicia glabriflora	Pale Oak	3		S	S	F	ST	H
Helmholtzia glabriflora	Stream Lily *		P2	M	U/S	S	G	U
Hicksbeachia pinnatifolia	Red Bopple Nut			M	S	P	ST	P
Hymenosporum flavum	Native Frangipani	2		F	S	F	T	H
Jagera psuedorhus	Foambark Tree	3		M	S	F	T	H
Linospadix monostachys	Walking Stick Palm		P2	S	U/S	S	ST	N
Litsea australis	Brown Bolly Gum			S	M	P	T	U
Litsea reticulata	Bolly Gum			S	M	P	T	U
Lomandra hystrix	Mat Rush *	1		F	U/S	F	G	H
Lophostemon confertus	Brush Box		E	F	M	F	T	P
Macadamia tetraphylla	Queensland Bush Nut			M	S	F	ST	P
Macaranga tanarius	Macaranga *			F	P	F	ST	P

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
Mallotus discolor	White Kamala			F	S	F	T	P
Mallotus phillippensis	Red Kamala		E	M	S	F	T	H
Melia azedarach	White Cedar	3		F	S	F	T	H
Melicope octandra	Doughwood *			M	M	F	T	P
Mischocarpus australis	Red Pear-fruit	3		M	S	F	T	H
Mischocarpus pyriformis	Yellow Pear-fruit			S	M	F	T	P
Neisosperma poweri	Milk Bush			M	U/S	S	S	N
Neolitsea australiensis	Smooth-barked Bolly Gum			M	S	P	ST	P
Neolitsea dealbata	White Bolly Gum			M	S	P	ST	P
Notalaea johnstonii	Veinless Mock Olive			S	S	F	ST	U
Ochrosia moorei	Southern Ochrosia			S	M	S	S	U
Omalanthus nutans	Bleeding Heart		DS	F	P	F	ST	N
Pandorea pandorana	Wonga Vine		P2	F	U/S	F	V	P
Parachidendron pruinsum	Snowwood *		E	M	S	F	T	P
Pararistolochia praevenosa	Birdwing Butterfly Vine			S	U/S	P	V	P
Pentaceras australis	Crow's Ash			F	S	F	T	H
Pilidistigma glabrum	Plum Myrtle			M	S	F	S	H
Pipterus argenteus	White Nettle			F	P	F	ST	N
Pittosporum revolutum	Hairy Pittosporum *	2		F	P	F	S	H
Pittosporum rhombifolium	Hollywood	3		F	S	F	T	P
Pittosporum undulatum	Sweet Pittosporum *	2	E	F	P	F	T	H
Podocarpus elatus	Plum Pine	3,4		S	M	F	T	H
Polyosma cunninghamii	Featherwood			S	M	P	T	U
Polyscias elegans	Celery Wood			F	S	F	T	P
Polyscias murrayi	Pencil Cedar		WD	F	S	F	T	P
Polyscias sambucifolius	Elderberry Panax			F	P	F	ST	P
Pouteria australis	Black Apple	3		S	M	P	T	P
Pseudoweinmannia lachnocarpa	Rose Marara			M	M	P	T	P

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
<i>Psychotria loniceroides</i>	Hairy Psychotria			S	U/S	P	S	U
<i>Quassia species</i>	Southern Quassia		P2	S	M	P	S	P
<i>Randia chartacea</i>	Narrow-leaved Gardenia			M	S	P	S	P
<i>Rapanaea variabilis</i>	Muttonwood		E	M	M	F	ST	H
<i>Rhodamnia argentea</i>	Mallotwood *			M	S	F	T	P
<i>Rhodamnia maideniana</i>	Smooth Scrub Turpentine			M	S	P	S	H
<i>Rhodamnia rubescens</i>	Scrub Turpentine	3		M	S	F	ST	P
<i>Rhodomirtus psidioides</i>	Native Guava	3		F	S	F	T	H
<i>Rhodosphaera rhodanthema</i>	Deep Yellow-wood	3		F	S	F	T	P
<i>Rhysotoechia bifoliolata</i>	Twin-leaved Tuckeroo			M	S	F	T	P
<i>Sarcomelicope simplicifolia</i>	Bauerella			M	S	F	T	H
<i>Sarcopteryx stipata</i>	Steelwood			M	M	F	T	P
<i>Scolopia braunii</i>	Flintwood*			S	S	P	T	P
<i>Sloanea australis</i>	Maiden's Blush	2,3		M	M	P	T	P
<i>Sloanea woolsii</i>	Yellow Carabeen			S	M	P	T	H
<i>Solanum aviculare</i>	Kangaroo Apple *		E	F	U/S	F	S	H
<i>Stenocarpus sinuatus</i>	Firewheel Tree	3		M	M	F	T	H
<i>Sterculia quadrifida</i>	Peanut Tree		WD	M	U/S	F	T	N
<i>Streblus brunonianus</i>	Whalebone Tree *	2,3		M	M	F	T	H
<i>Symplocos thwaitesii</i>	Buff Hazelwood	2		M	M	P	T	U
<i>Synoum glandulosum</i>	Scentless Rosewood			M	S	P	T	P
<i>Syzygium australe</i>	Brush Cherry	2,3		F	S	F	T	P
<i>Syzygium corynanthum</i>	Sour Cherry *	3		S	M	P	T	P
<i>Syzygium crebrinerve</i>	Purple Cherry	3		S	M	F	T	P
<i>Syzygium francisii</i>	Giant Water Gum	3		S	M	P	T	H
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly			M	M	F	ST	N
<i>Syzygium luehmanii</i>	Riberry	3		M	M	F	T	H
<i>Syzygium moorei</i>	Coolamon			M	M	F	T	P
<i>Syzygium oleosum</i>	Blue Lilly Pilly	3		M	M	F	T	P

Plant species suitable for Byron Creek - Bangalow		Riparian	Location Comment	Growth Rate	Successional Stage	Exposure	Growth Habit	Frost Tolerance
Toechima dasyrrhache	Blunt-leaved Steelwood			M	S	F	T	P
Toona australis	Red Cedar	3	P2	F	M	F	T	H
Triunia youngiana	Spice Bush		P2	S	U/S	P	S	N
Trema aspera	Native Peach		DS	F	P	F	ST	P
Tristaniopsis laurina	Water Gum **(not native to area)	2	DS	F	S	F	T	H
Waterhousea floribunda	Weeping Lilly Pilly* *(not native to area)	2		F	M	F	T	H
Wilkiea austroqueenslandica	Smooth Wilkiea		P2	S	U/S	S	S	U
Wilkiea huegeliana	Veiny Wilkiea		P2	M	U/S	S	S	U
Wilkiea macrophylla	Large-leaved Wilkiea		P2	S	U/S	S	S	U
Zanthoxylum brachyacanthum	Thorny Yellow-wood			M	S	F	T	U
* donotes most suitable species								

LEGEND

Riparian (up to 20mts off creek)

1. Bottom of bank&steep degraded sites.
2. Moderate slopes.
3. On river levees, well drained alluvial.
4. Heavy, poorly drained.

Location/Comment

- WD-Well Drained
- E-Edge Planting
- T-Toe Planting
- DS-Direct Seed
- P2-Plant in 2nd year.

Growth Rate

- F-Fast
- M-Moderate
- S-Slow

Successional Stage

- P-Pioneer
- S-Secondary
- M-Mature Phase
- U/S-Under Story

Exposure

- F-Full Sun
- P-Partial Sun
- S-Shade

Growth Habit

- H-Herb
- G-Groundcover
- S-Shrub
- ST-Small Tree
- T-Tree
- V-Vine

Frost Tolerance

- H-Highly
- P-Partial
- N-Non
- U-Uncertain